



RESEARCH

INTEGRATED IAM

SERVICES

INSIDE DELPHI

Search | Work File | Beyond Searches

My Account | Products | News | Events

Search: Quick/Number Boolean Advanced

## The Delphion Integrated View


Buy Now: [More choices...](#)Tools: Add to Work File: [Create new Work](#)View: [INPADOC](#) | Jump to: [Top](#) [Email](#)? Title: **JP2001002604A2: PRODUCTION OF DIOLS**? Country: **JP Japan**? Kind: **A2 Document Laid open to Public inspection**? Inventor: **KONISHI MITSUO;  
UENO EIZABURO;**? Assignee: **ASAHI CHEM IND CO LTD**  
[News, Profiles, Stocks and More about this company](#)? Published / Filed: **Jan. 9, 2001 / June 17, 1999**? Application Number: **JP1999000170736**? IPC Code: **C07C 29/149; B01J 23/652; B01J 23/656; C07C 31/20; C07B 61/00;**? Priority Number: **June 17, 1999 JP1999000170736**

? Abstract:

**PROBLEM TO BE SOLVED:** To obtain a mixture of butanediol and a specific diol in high yield by allowing a mixture of succinic acid and a specific dicarboxylic acid to react with hydrogen in the presence of a specific catalyst and water.

**SOLUTION:** A mixture of (A) succinic acid and (B) a dicarboxylic acid of the formula: HOOC-R-COOH (R is a 3-20C saturated divalent hydrocarbon) are allowed to react with (C) hydrogen in the presence of (D) a catalyst prepared by carrying one or more metals selected from ruthenium and tin, rhenium, molybdenum, palladium, silver and nickel supported by carbon carrier (activated carbon) that is preliminarily treated with a mineral acid and (E) water under a pressure of 1-25 Mpa, at 100-300°C to obtain a mixture of butandiol-1,4 and a diol of the formula: HO-CH<sub>2</sub>-R-CH<sub>2</sub>OH. As a mixture of the component A and the component B, are cited preferably a mixtures of dicarboxylic acids including the component A, glutaric acid and adipic acid.

**COPYRIGHT:** (C)2001,JPO

? Family: [Show 4 known family members](#)? Other Abstract Info: **CHEMABS 134(05)058222A CHEMABS 134(05)058222A DERABS  
C2001-303498 DERABS C2001-303498**[Nominate](#)[this for the Gallery...](#)**BEST AVAILABLE COPY**

8/14/2002

# PRODUCTION OF DIOLS (JP2001002604A2)

© 1997-2002 Delphion, Inc.

[Research Subscriptions](#) | [Privacy Policy](#) | [Terms & Conditions](#) | [Site Map](#) | [Contact](#)

2001002604 A



(19)

(11) Publication number: 200

Generated Document.

**PATENT ABSTRACTS OF JAPAN**

(21) Application number: 11170736

(51) Int'l. Cl.: C07C 29/149 B01J 23/652 B  
C07C 31/20

(22) Application date: 17.06.99

(30) Priority:

(43) Date of application publication: 09.01.01

(84) Designated contracting states:

(71) Applicant: ASAHI CHEM IND CO

(72) Inventor: KONISHI MITSUO  
UENO EIZABURO

(74) Representative:

**(54) PRODUCTION OF DIOLS**

(57) Abstract:

**PROBLEM TO BE SOLVED:** To obtain a mixture of butanediol and a specific diol in high yield by allowing a mixture of succinic acid and a specific dicarboxylic acid to react with hydrogen in the presence of a specific catalyst and water.

**SOLUTION:** A mixture of (A) succinic acid and (B) a dicarboxylic acid of the formula: HOOC-R-COOH (R is a 3-20C saturated divalent hydrocarbon) are allowed to react with (C) hydrogen in the presence of (D) a catalyst prepared by carrying one or more metals selected from ruthenium and tin, rhenium, molybdenum, palladium, silver and nickel supported by carbon carrier (activated carbon) that is preliminarily treated with a mineral acid and (E) water under a pressure of 1-25 Mpa, at 100-300°C to obtain a mixture of butandiol-1,4 and a diol of the formula: HO-CH<sub>2</sub>-R-CH<sub>2</sub>OH. As a mixture of the

2001002604 A

component A and the component B,  
are cited preferably a mixtures of  
dicarboxylic acids including the  
component A, glutaric acid and adipic  
acid.

COPYRIGHT: (C)2001,JPO